

(10) International Publication Number
WO 03/023766 A2

- [Continued on next page]*

- (57) Abstract:** A semi-automated, intermodal transcription-formatted data input system utilizing one or more interconnected servers which receive communications links. The system identifies and validates a user, and receives, accepts and sends voice files to a distributed processing location where operators are assigned transcription tasks. The voice input from the user is transcribed according to a predefined format for that user which takes voice input information provided and transcribes it into user-defined data fields for retransmission to that user over a preferred communications system. A user may dictate predefined formatted information such as appointments, objective checklists such as a to-do list, contact information or other predefined data formats for processing and retransmission to the same user defined users for entry in an operating system or application desired by that user. Retransmission may be over conventional voice lines, internet or wireless internet or wireless data devices such as disclosed in the preferred embodiment.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

A Semi-Automated Intermodal Voice to Data Transcription Method and Apparatus**CROSS REFERENCES TO RELATED APPLICATIONS**

This application claims the benefit of the applicant's provisional application, serial number 60/317,832 which was filed September 6, 2001.

BACKGROUND OF THE INVENTION**1. Field of the Invention**

The present invention relates to the field of remote transcription and information processing. More particularly the disclosed invention provides both a system and a method for providing dictation and transcription services particularly aimed at providing intermodal data conversion services. The invention provides both apparatus, and a method for gathering dictation from individual users which access the system through the telephone network, and provide dictation containing specific styles and types of data input for conversion into a preferred output format, defined in advance by the user, for return to that user with automatic entry into their data processing devices of choice.

Business in today's society relies heavily upon information management devices, largely software driven, and mostly portable in nature. Such information management devices span from desktop computers, intelligent cellular phones, paging devices and most notably palm top computers or a personal digital assistant (PDA). Presently, a popular PDA is a hand-held device, now with integrated wireless internet access, which utilizes the *Palm* operating system such as with a *Palm Pilot*, *Handspring*, *Sony Cleo*, and other devices presently available or under development. Many users of these devices carry them specifically to capture ideas, information, or

other fragments of data which are useful or necessary for their daily productivity but which normally require manual input into a given device.

In the past, such input has largely been by downloading from a larger machine which synchronizes or mates with the PDA or palm top computer. Further, such devices allow for input by stylus, touch screen input or portable keyboard which must be carried along with the device if a substantial amount of information must be entered. A new input paradigm is needed to provide a faster, more effortless and more natural input of data into such portable devices.

Many users of such portable computers and PDAs are comfortable with dictation or the use of verbal instructions to provide ideas and information. Further, when people travel, the tools that they have at home or in the office are usually not available but telephones for simple voice communications are now ubiquitous. Between the universal access to conventional land line telephones and the now popular mobile or cellular phone, access to the telephone voice network is frequently not a problem.

In the present invention, a user will have a predefined profile for that user, providing for one or more formats preferred by the user for their personal digital assistant or other palm top or miniature computer system of choice. Many personal information managers, (PIM) use predefined formats for data entry. Such devices normally have general functions known as contacts, calendars, to-do's, and memos in addition to messaging or e-mail. Entering data by hand using a stylus or portable typewriter keyboard accessory is normally just not practical, particularly in the case where the user is driving a car, walking through an airport or otherwise underway and

not in a position to conveniently take the time to "tap in" desired data, letter by letter. Sometimes it is simply impractical to do it at all.

The present invention allows the user to call a preselected toll-free number, have his identification verified and his user profile automatically accessed. The user can dictate in free form the type of information he desires to be entered on his PDA so that a word processing operator will enter the information desired by the user in the correct format, and re-transmit it back to that user for automatic entry into his PDA in the desired format, whether it is one or more items to be listed on his to-do list, a calendared event, or simply contact information to be listed in his PIM. The system also allows the dictation of e-mail to be sent to another party, while first providing a retransmission of that e-mail to the user so that he may verify the text, make minor changes in the text if desired, and approve the message for transmission over the internet to the recipient.

2. Objects of the Invention

Accordingly, it is the object of the present invention to provide a method and apparatus for transmission, transcription, intermodal conversion of pertinent data from the transcription into user predefined formats, and redelivery to that user for entry into a Personal Digital Assistant or other devices for automatic entry into the user's device. It is a further object of the invention to provide such services and intermodal transcription conversion through wireless means for delivery to the user by wireless internet services or data pager information services.

It is a further object of the present invention to provide a method and a system

for delivery of messages or data in accordance with a message delivery profile of the user indicating which message delivery system or format should be used and in what order transcription instructions should be processed.

It is a further object of the present invention to provide a method and a system for delivery of messages or data in accordance with a message delivery profile of a user in which speech instructions from the user are transcribed into information or data fields in accordance with that user's profile and wherein such data or information is stored at a remote data storage location for archiving or for redelivery to one or more users at a later time.

SUMMARY OF THE INVENTION

In the preferred embodiment, a transcription to data conversion system is provided which comprises a first communications link for a user to transmit substantially voice-based information to be transcribed. A transcription computer server is used to record the dictation of the user which can be accessed by one or more transcription technicians at one or more locations. The system provides a recognition of a particular user such that data transcription formats are delivered to the transcription technician allowing for dictation instructions for information to be entered to be transcribed into the user-defined format for redelivery to a user's portable digital assistant or other information management device.

After the system forwards the user dictation along with the user profile to the transcription technician on a second communications link, the technician transcribes

the user dictated information into the predefined fields made available to that technician by the system along with instructions as to the user format preferred. The technician transcribes the contact information, calendaring information, to-do items or memos and e-mails into the field required by the user's predefined personal information device or personal digital assistant. The user's predefined personal information format includes the correct parsing of information to be compatible with the user's digital device. The digital device being used by a particular user has predefined application field formats which can be entered electronically after the voice instruction provided by the user are interpreted and reduced to specific information which apply to specific fields for the user's information management device. When completed, the transcription technician transmits the information back to the user over a third communications link for entry into the user's device preferably by wireless means. Such wireless means in the preferred embodiment include wireless internet access so that the user can receive the transcribed data for loading into his device regardless of the location of the user, as long as wireless internet or other wireless data transmission facilities are available to the user at the time he wishes to download the transcribed data. In the event direct internet connections are available to a user at a fixed location, such data delivery is also available over a non-wireless connection.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram illustrating the major functional aspects of the system disclosed.

Figure 2 is a system pictorial diagram illustrating the transcription to data delivery system disclosed as the present invention.

DÉTAILED DESCRIPTION OF THE INVENTION

The invention will now be described in reference to the various figures, wherein like numerals represent like parts. Turning to **Fig. 1**, in its simplest form the disclosed invention is illustrated in a block diagram showing the various stages of processing in order to carry out the invention. Voice input begins at stage **14** where a user uses a communication device to dictate instructions transmitted over medium **15** to a central receiving point **16**. Medium **15** may be land-lined or cellular phone or any type of conventional voice communications voice media to transmit the voice input **14** to a centralized receiving location **16**. After the information about the user is verified, the information is processed at **17** for redelivery to the user. The processed data, which is converted, is transmitted through medium **18** back to the user to be displayed or conveyed to the user in a predefined format **19**. The user is identified by a user name or identification code which allows the transcription operator to call up the preferred data field format at the centralized receiving location **16**. Therefore, the speech transcription operator will be able to access information regarding the user preferences and process the user's speech instructions to transcribe information and data into the correct data field formats that apply to the user's devices which apply to the given user preferred format. Further, it is also possible to add a storage step to the transmission of processed dictation as shown in the step at **18** on **Fig. 1**. After the processing of user dictation at **17**, the formatted user data and information can be forwarded to the user in the transmission at **18** as well as simultaneously sent to a storage location,

either onsite or at a remote location to allow the user or the user's enterprise to access such information later in time for other purposes.

Turning to **Fig. 2**, details of the system in the preferred embodiment shall be described. First, a user may access the system by either choosing to dictate over a land line telephone **20** or a wireless telephone **22**. In either case, the universal telephone network **24** is accessed for transmission of the voice dictation to dictation server **26**. In the case of land line telephone **20**, twisted pair or other conventional land line equipment is used for link **28** to telephone network **24**. With a wireless telephone **22**, radio communications link **30** is used to introduce the dictation into the telephone network **24**. The telephone network **24** is linked to server **26** through link **28**. Link **28** is a conventional telephone circuit which uses telephone switching to access a central location where dictation server **26** can provide certain initial decisions as to how the user dictation will be processed.

Server **26** has various data bases available to it to make initial decisions for the processing of the dictation arriving through link **28**. First, there is a validation data base **36** which validates callers before taking dictation. Validation is accomplished through Caller-ID if available and pre-installed in the validation database **36**. Absent Caller-ID availability, simple dual tone multiple frequency (DTMF) based personal identification numbers (PIN) may be used and can simply be user-selectable. Caller validation provides a certain level of security to assure that the user is in fact the subscriber eligible to access the system provided in the present invention. If desired, user validation can use voice printing and voice recognition technology to compare a

prearranged phrase spoken by the user to assure that the user is who the user claims to be in accessing the system.

Once the validation of the caller has been accomplished, dictation server **26** accepts conventional dictation and instructions from the user and records such dictation in a conventional voice-recording digital format, such formats being well known to those skilled in the art. After the user has finished dictating their instructions and information, dictation server **26** must make certain decisions as to which decentralized transcription location to send the user's dictation to be transcribed. Dictation server **26** has a coordination database **38** which is updated to make available to server **26** information concerning the best routing for processing of the work.

It can be appreciated that the dictation can be sent through communications link **50** to various locations, such as transcription location **52**, **54** or **56**, though there may be many more locations depending on size of the system. By having the availability of the coordinating database **38**, the transcription of the user's input can be accomplished by a substantially decentralized network of transcription operators or technicians. By having a decentralized network of transcribers available, a large number of transcription operators may be employed who need not be tied to a particular location and may work at home or from small offices in widely separated areas where costs may be substantially lower. Dictation server **26**, being driven by coordinating database **38**, decides which location to send a particular user's work to be transcribed and redelivered.

In **Fig. 2**, first transcription location **52** is used to illustrate the processing of the

user's data although it can be appreciated that location **54** and **56** can operate in an identical fashion as the processing occurring at transcription location **52**. A transcription operator uses a transcription processor **58** to which dictation server **26** forwards the voice files of the user along with a user profile which includes instructions as to the preferred transcription method of the user and the type of data entry fields the user's PDA **32** or Pocket Organizer **34** utilizes. The transcription operator parses the speech instructions and information received by the users into predefined data field formats to be delivered to that user as shown. Though for illustration purposes portable information management devices are shown, it could be appreciated that such information could also be loaded into desktop systems or other types of information management systems such as Microsoft Outlook or other computer applications which provide definable data input fields for conversion of dictated instructions into data entry fields.

Returning to transcription processor **58**, the transcription operator at processor **58** is provided with access to the digital voice transcription files communicated by the server **26**, as well as the user profile database **60** which is forwarded to transcription processor **58**. User profile database **60** may be contained in transcription server **26**, and the particular user's preference files may be sent to transcription processor **58** along with the dictation files for processing. The operator transcribing instructions at processor **58** reviews the user's voice dictation in a conventional fashion, and enters the data requested on the user profile fields presented to the operator utilizing processor **58**. In one case, by way of example, the user may be using a PDA which

uses the Palm Operating System. The user may dictate a request that several to-do items be entered onto his list, several schedules be entered on his calendar and a number of contacts be entered based on a recent meeting or a business card he may have available as he dictates the instructions initially. The operator of processor 58 will enter such information and transmit such information through link 62 to data server 64. Link 62 can be a telephone line, an internet connection or a local area network if data server 64 is co-located with processor 58. Data server 64 then conveys the data to be automatically loaded in the user's selected information management system through link 66 which is frequently a wireless internet service selected by the user to receive the data to be automatically entered in the user's information management device.

The above disclosure of the invention includes the basic framework describing the operation of the system in its simplest terms. In each of the processing steps described and illustrated in Fig. 2, it is possible to add additional function to one or more stages. Such additional improvements add to and improve the efficiency of the system. For example, in considering the transmission of user voice files generated from dictation, which was originally delivered to dictation server 26, by using data compression techniques in transmission of the user voice dictation of the transcription location 52, 54 or 56 would reduce transmission time by decreasing the overall file size of voice data files being delivered for transcription. Further, the user ID and validation database 36 can be used to provide billing information in that the users of the system could be charged for the services provided based on the user profile and invoicing plan prearranged with that user. In similar fashion, those users who may have not complied

with the user requirements for a particular billing plan can be intercepted and denied access to the system in that the user billing information could coexist with the user ID and validation database.

The present invention also provides for a means to expand the type of user input which may be transcribed or converted to data formats which are expanded from the normal formats one would expect to see in a personal information management application or any *PDA*. For example, users of the present invention may desire transcription of information for any physical fitness program in which they are tracking their progress, sales reporting for those mobile sales personnel who have relatively standard reporting formats, or even accident reporting for professional drivers or individuals constantly traveling, field accidents observed by foremen or other damage reports that might be used, for example, by insurance adjusters constantly reporting information into a standardized company format as may be required by a given carrier.

It will be appreciated by those skilled in the art that the present system would provide for automatic reporting notification by delivery of e-mail messaging to predefined locations upon the entry of particular information and upon the request of the user accessing the system and providing such information. By way of example only, a field insurance adjuster inspecting an insured lost at a particular location may access the system by his pocket cellular telephone, dictate information real time into his account in accordance with the above described invention, and request that the report be electronically forwarded in the proper format to his home office, as well as his field office and perhaps to his laptop computer or *PDA*. In this fashion, the user would

know in advance that the delivery information has been entered in accordance with the requirements of his profile and verified to his satisfaction. The disclosed method of speech and speech information transcription is ideally suited for conversion into designated and defined form fields used for reporting information such as an insurance loss. The information can be redelivered to the insurance adjuster used in the example, preformatted into the correct form for delivery to the user in the field.

One useful variation of the present invention includes the addition of longer term storage of the user information which is transcribed for retransmission to that user. Returning to **Fig 2** , user information data storage **72** can be used to maintain the transcribed data for the user as it is sent to the user for use in the user's portable digital device. It can be appreciated that data storage **72** can be located on data server **64** or be comprised of a remote data backup system within an enterprise or a remote site to allow the user to store the data information fields transcribed for that user. Within a given enterprise, using the system shown in **Fig. 2** within a wide area network, enterprise backup storage and data retrieval can be accomplished by recording the transcribed data field information on such long term storage as represented by storage **72** in **Fig. 2**.

It will also be appreciated by those skilled in the art that the system so described with the present invention may be used entirely within one enterprise without the need for remote access across public communication systems or wireless access and transmission. For example, an enterprise may wish to provide its employees, users in the present system, means to access a central data transcription pool within the

enterprise which accepts instructions via telephone or perhaps radio. The transcription takes place in a similar fashion as disclosed in **Fig. 2** but wholly within the boundaries of the enterprise network. Employees within an enterprise may dictate instructions by a telephone intercom within the enterprise to a central pool transcription location, thereby having their calendar information, customer information, to-do lists and other messages transcribed and redelivered to the employee in a preferred field format, and/or stored in the enterprise data storage server for access by other members of the enterprise or delivery to a master calendar, customer list or the like.

It can be appreciated from the foregoing description and the various embodiments provided that numerous changes or modifications may be made without departing from the spirit or the scope of the invention as intended. Although certain preferred embodiments are presented for the purpose of describing the application of the present invention which are shown to satisfactorily operate, other such species or derivations from the thrust of the invention presented are considered within the scope of the invention.

CLAIMS***What is claimed is:***

- 5 1. A transcription to data delivery system comprising:
- a transcription server for receiving and processing voice information to be
transcribed;
- 10 communication apparatus connected to the transcription server for receiving
communication from users, the communication apparatus adapted for receiving
user voice information;
- 15 wherein, over the communication apparatus, the transcription server receives from
a user substantially voice-based information to be transcribed, selects and alerts a
transcription technician from preprogrammed selection criteria, sends the
substantially voice-based information to the transcription technician, thereafter a
transcribed version of the substantially voice-based information from the
transcription technician is parsed into predefined data field formats to be delivered
20 to the user in the users preferred format.
2. A transcription system as in claim 1 wherein the said user preferred format is

compatible with the users portable data processing device.


- 5 3. A transcription system as in claim 1 wherein multiple locations are incorporated to accept the output from the said transcription server based on preprogrammed selection criteria.

- 10 4. The system of claim 1 wherein the information forward by said transcription server is accompanied by user predefined instructions defining the data conversion format preferred by the user.

- 15 5. The system of claim 1 wherein the transcription server is preprogrammed with data pertinent to particular users, including processing instructions and user billing formats, which the transcription server forwards to the location where the transcription technician transcribes the said information.

- 20 6. The system of claim 1 wherein responses to the users voice dictation comprises e-mail, to at least one predefined recipient.

7. The transcription server of claim 6 wherein specific processing and forwarding instructions are preprogrammed for specific users.

**FIGURE 1**




FIGURE 2

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.